


> INSTRUCTIONS MANUAL <

CAN COLLECTION



BY RONAN & ERWAN BOUROLLEC

HAY

> INTRODUCTION <

In the Can sofa, Ronan and Erwan Bouroullec are seeking to go beyond the creation of a practical, elegant and comfortable design. The intention is to reinvigorate the whole idea of the sofa, from something inherently complicated, to something simple, relaxed and for everyone.

The sofa comes flat-packed and is assembled at home as we believe people are keen to get things in a quick and simple way, it is better for all resources, it is less transportation, less volume, less stock, it is just much easier to do.

The idea of the name Can is that “you can”, “you can make it”, just don’t be afraid. Maybe the sofa will raise the fear “can I do this?”, “is it going to be right?” So, it is implemented into the name itself, just don’t be afraid, it will work.

> CARE AND MAINTENANCE <

With a little care you can prolong the life of your furniture and keep the foam and fabric in good condition. Vacuum clean on a regular basis to avoid fluff and peal. Smooth out creases and wrinkles with your hand after use to even out the fabric and prevent seam lines from being skewed. Puff the cushions regularly to maintain the shape.

Protect your sofa against direct sunlight. All fabrics used by HAY are high quality fabrics and leathers, but like all fabrics colours will fade and seams will weaken when exposed to direct sunlight. We recommend that you flip the cushions regularly to avoid patinating on one side only.

When you move the furniture, make sure to lift it rather than pulling or pushing it, as that would damage the legs and mountings. We recommend that you tighten up the screws after one to two months' use. Avoid improper use such as sitting on the back or armrests and standing on it.

CLEANING

Powder coated steel / Clean with a damp cloth wrung in a solution of water and a neutral detergent. Remove soap residue immediately using a clean, dry cloth. Avoid using scouring cream or scouring pads, as they may scratch the surface.

Fabrics / Liquids must be soaked up with an absorbent napkin or cloth. Edge marks can be avoided by dabbing gently in circular motions towards the centre of the stain with a clean lint-free cloth.


Most stains can be removed by using lukewarm water and if necessary add a little neutral soap or detergent. Do not rub the material hard because this could result in loss of colour and damage the fabric. It may also be necessary to use a hairdryer to avoid leaving edge marks. Never use un-concentrated detergents or bleach, ammonia or soap intended for hard surfaces.

If you act quickly, it is not difficult to remove spills and prevent stains from forming. However, we cannot guarantee complete stain removal.

The fabric may have to be straightened from time to time. Wrinkles in the the fabric can be straightened by using a steamer.

Silk Leather / Silk is an aniline leather which means that it has none or only a light surface treatment which reserves the leather's natural surface and soft touch. All natural markings will be visible on aniline leather which contributes to the leather's exclusive appearance. This kind of leather is very susceptible to dirt and will in time patinate and become a little darker. Aniline Leather is very difficult to maintain and we recommend that you keep a cleaner suitable for this type of leather at hand. Using water may leave a permanent stain on the surface.


> PARTS ONE SEATER <




Seat frame (A) x 1




Front leg (B) x 2




Back leg (C) x 2




Side pillow (G) x 2



Back pillow (H) x 1



Seat pillow (I) x 1




Anti slip mat (J) x 1



Arm rest tube (D) x 2



Back rest tube (E) x 1



Canvas (F) x 1




Screw (K) x 12




Allen key


> PARTS TWO SEATER <



Seat frame (A) x 1



Front leg (B) x 2




Back leg (C) x 2




Arm rest tube (D) x 2




Back rest tube (E) x 1



Canvas (F) x 1




Side pillow (G) x 2



Back pillow (H) x 2



Seat pillow (I) x 1



Anti slip mat (J) x 1




Screw (K) x 12




Allen key

> PARTS THREE SEATER <




Seat frame (A) x 1



Back rest tube (E) x 1




Front leg (B) x 2




Back leg (C) x 2




Arm rest tube (D) x 2



Canvas (F) x 1



Side pillow (G) x 2



Back pillow (H) x 3



Seat pillow (I) x 1



Anti slip mat (J) x 1




Screw (K) x 12



Allen key


1.

Locate the backside of the seat frame (A), marked with a white sticker, and insert the back legs (C) into each back corner.





3.

Pull the legs gently outwards.



2.

Secure the back legs (C) to the seat frame (A) by slightly fastening one screw (K) in the hole closest to the center of the sofa.





4.

Insert the back rest tube (E) into the middle part of the canvas.





If you are assembling a 2 or 3 seater sofa, make sure the back rest tube (E) is facing the right way. The back rest tube (E) is marked with a white sticker that should face the outside of the sofa.




5.

Insert the back rest tube (E) into both the back legs (C) make sure the canvas is mounted with the cotton strap facing outwards. Twist E to here a "click".





6.

Insert the arm rest tube (D) into canvas. Make sure the canvas is kept on the inside of the back leg (C).



7.


Insert arm rest tube (D) into back leg (C).
Twist D to here a "click".



8.


Insert front leg (B) gently into the frame (A) and arme rest tube (D).

Repeat step 6, 7 and 8 on the other side.




9.

Gently secure front legs (B) and back legs (C) to the frame (A) by fastening screws (K) in all four corners.




It is important NOT to tighten the screws completely at this stage.




10.

Flip the frame forwards to ease access to the bottom of the seat frame. Make sure to place something protective between the frame and the floor to avoid scratching the frame.



11.



Secure front legs (B) and back legs (C) to the frame (A) from the bottom by fastening screws (K) in all four corners.



12.

Mounting canvas.


Slide the plastic profile onto the bottom of the seat frame. It is important to start in one end and work your way to the opposite side. Make sure the canvas is all the way out in the corners.



13.


Mounting canvas.

Slide the plastic profile onto the bottom of the seat frame. It is important to start in one end and work your way to the opposite side. Make sure the canvas is all the way out in the corners.



14.


Secure the front legs (B) and back legs (C) to the frame (A) by fastening the screws (K) in all four corners.



15.

Mounting canvas.


Place the cotton strap around the front leg and slide it thru the leather ring. Adjust the canvas and then tighten it by pulling the cotton strap and fastening it to the velcro.



16.


Adjusting canvas.

Adjust the canvas in the frame. Start in one end and work your way to the opposite side. Make sure the canvas is not folded or misplaced anywhere.




17.



Place the anti slip mat (J) in the center of the frame.



18.

Place the seat pillow (I), back pillow (H) and side pillows (G) into the frame.





Havnen 1 8700 Horsens Denmark
+45 4282 0282 / hay@hay.dk

HAY

ITEM NO. 706327



5 710441 209669